

SCHEDULE XIII

Minimum essential requirements for department of Agada Tantra

Serial Number	Specified	Minimum requirement	Available Quantity	Deficiency
1.	Computer with internet	1	1	
2.	Printer	1	1	
3.	Electronic-display (smartboard or smart television or light emitting diodes display)	1	1	
Agada Laboratory cum Museum				
4.	Beakers-fifty millilitre	As required	As required	
5.	Test Tubes-ten millilitre	As required	As required	
6.	Test tube holders	As required	As required	
7.	Gas or electric burner	As required	As required	
8.	Petri-dish	As required	As required	
9.	Stirrer	As required	As required	
10.	Red litmus paper	As required	As required	
Chemicals				
11.	Hydrochloric acid	As required	As required	
12.	Sulphuric acid	As required	As required	
13.	Iodine solution (aqueous)	As required	As required	
14.	Absolute alcohol	As required	As required	
Specimens				
15.	Weapons	As required	As required	
16.	Poison snakes	As required	As required	
17.	Non-poison snakes	As required	As required	
18.	Poison herbs and minerals	As required	As required	

Gitep
Principal
Shamrao Patil Institute of Ayurved
Research Centre And Hospital Paniv,
Tal. Malshiras, Dist. Solapur-413113